# The Role of the Extracellular Matrix in Spinal Cord Inflammation

Nelly Nouboussi, Jefferey Hyde, Lindsay cates, Christoph Hofstetter, Zin Khaing

Neurological Surgery Summer Student Program

August 10th, 2018



OF MEDICINE

# Why study SCI?

#### Most common causes of spinal cord injury

Road traffic accidents Sport and recreational activities Falls







- 1.6 million folks with spinal cord dysfunction
- Spinal cord tissue does not repair itself

# Inflammation and ECM degradation



Inflammation is not fully resolved after SCI in CNS

After injury, inflammation and ECM degradation are observed.



Salewski et al., 2013. Chapter 11. Neural stem/progenitor cells for spinal cord regeneration

Khaing, Z. Zin and Stephanie K. Seidlits. Journal of Materials Chemistry B

Brain Linker Protein

# Experimental design

Sample size: 6-- Active Hyase (4), Heat-inactivated Hyase (2)



## Injection at T8-T9

- Pulled pipette
- Less than 100 microns in diameter
- Slow infusion



# 4 injection sites on same lateral plane.

# ECM degradation



## ECM Degradation

## HABP/DAPI



#### **₽**

# Inflammation

## Iba1/DAPI







# **Cell Proliferation**

## Ki67/DAPI



# Conclusion/Future Directions

- ECM degradation may induce inflammation
- Source of error: small sample size in preliminary data analysis
- Project data analysis is ongoing
- Identification of proliferating cells
- Decipher the pathway

## Acknowledgments

### UW Neurological Surgery Department

- Dr. Richard Ellenbogen and Mrs. Sandra

Ellenbogen

- Jana Pettit
- Jim Pridgeon
- Dr. Christine Mac Donald
- UW Neurological Surgery Donors,

Faculty, Staff, and Residents

### <u>Grants</u>

NIH NINDS R25NS095377 - Summer Research Experience in Translational Neuroscience and Neurological Surgery

### The Hofstetter Lab

- Christoph Hofstetter, M.D, PhD
- Zin Khaing, PhD
- Jefferey Hyde
- Lindsay Cates
- Selena Muong



OF MEDICINE